

# Premier<sup>®</sup> Implant Cement<sup>™</sup>

Designed for Implant Crown Cementation

Premier<sup>®</sup> Implant Cement<sup>™</sup> was designed specifically for implant crown cementation. It's the ultimate solution for a versatile implant cement that provides strong, secure retention yet enables easy, non-destructive retrieval if needed at a later date. The elastomeric cement flexes under force, absorbs shock and creates a tight marginal seal. You'll appreciate the predictable and easy application with no etch, primer or bonding agent required.

Premier brings meaningful, innovative dental material and device solutions you can rely on. Every time!



Premier® Dental Products Company • 888-670-6100 • premierdentalco.com

#### Premier<sup>®</sup> Implant Cement<sup>™</sup> is easy to use



Check the fit. Complete all finishing procedures.



and interior of restoration.



Bleed syringe. Mount new automix tip and then bleed the syringe again. This assures proper flow of base and catalyst.



Using a microbrush, place a thin film of cement along the inside wall of the cervical third, making sure to completely coat the margin with cement. You have 1.5 minutes of working time at room temperature.



can cause future restoration retrieval to be difficult to impossible.<sup>†</sup>



Firmly seat the crown and hold in place until initial set (gel phase) occurs in 2–2.5 minutes. Safely remove excess cement before final set. It is imperative to remove all excess cement.

† Any excess cement (regardless of chemical make-up or brand) that remains in the sulcus around an implant could lead to peri-mucositis, peri-implantitis or implant failure if not removed immediately.

- 3001450 Implant Cement Standard Pack 1-5ml Automix Syringe, 10 Mixing Tips and 1 Mixing Pad
- Implant Cement Value Pack 3001455 3-5ml Automix Syringes, 25 Mixing Tips
- Automix Dual-barrel Syringe Tips (25) 3001451

#### Properties

Working Time	1.5 minutes at room temperature
Gel-phase	2-2.5 minutes at 98°F (37°C)
Set Time	4-5 minutes at 98°F (37°C) from the start of mix
Film Thickness	15 μm



## Secure Retention and Retrievability

in one unique step!

"Outstanding Products"\*



Made from graphite reinforced resin that will not scratch implant surfaces.







Premier® Dental Products Company • 1710 Romano Drive, Plymouth Meeting, PA 19462, USA Phone 888-670-6100 • 610-239-6000 • Fax 610-239-6171 • premierdentalco.com • E-mail: info@premierdentalco.com \*An independent non-profit dental education and product testing foundation, December 2004 & 2005 ©2020 Premier Dental Co. | All Rights Reserved



#### **UNC 12**

9006120 (3-pack) 9006121 (6-pack) 9006122 (12-pack)

Final cement is 4 - 5

minutes, intraorally.

### **Premier® Implant Scalers**

Universal Implant Scaler (Columbia 4L/4R) 9061401 (2-pack) 9061400 (5-pack)

new! 137 Implant Scaler (Anterior) 9061421 (2-pack) 9061420 (5-pack)

(Goldman-Fox 5) 9061402 (2-pack) 9061403 (5-pack)

Facial Implant Scaler

new! 204 Implant Scaler (Posterior) 9061423 (2-pack) 9061422 (5-pack)