SAFETY DATA SHEET

Enamel Pro® Varnish

1. Chemical product and company identification

Product Identifier:	9007540, 9007541, 9007542, 9007543, 9007544, 9007545 & 9007547
Product Name:	Enamel Pro® Varnish

Premier Dental Products Company 1710 Romano Drive Plymouth Meeting, PA 19462 USA Tel: 610-239-6000 Fax: 610-239-6171 Emergency Tel: 610-239-6000

Recommended Use:

Restrictions for Use:

For the treatment of dentinal hypersensitivity, and for the reduction of post operative sensitivity. It can be used as a cavity liner. For professional use only.

2. Hazards Identification

STOT Cat 3 Flam Liq. Cat 2

Classification of the chemical Skin Irritant Cat 2 Skin Sensitisation Cat 1 Eye Irritant Cat 2



Hazard pictogram(s) Exclamation Mark, Highly Flammable Signal word: Warning, Danger

3. Composition/Information on Ingredients

Chemical Name:	CAS Number:	WT%	Classifications
Calcium Sulfate Dihydrate	10101-41-4	1-10%	Skin Irritant Cat 2 Eye Irritant Cat 2 Resp Irritant Cat 3
Dibasic Sodium Phophate	7558-79-4	1-10%	Skin Irritant Cat 2 Eye Irritant Cat 2
Ethanol	64-17-5	10-30%	Flam Liquid Cat 2
Sodium Fluoride	7681-49-4	1-10%	Acute Tox Cat 3 Skin Irritant Cat 2 Eye Irritant Cat 2
Rosin	8050-09-7	50-70%	Skin Sensitisation Cat1

4. First-Aid Measures

Symptoms:		
Skin contact:	act: There may be mild irritation at the site of contact.	
Eye contact:	There may be irritation andredness.	
Ingestion:	There may be irritation of the throat.	
Inhalation:	No symptoms.	
Action:		
Skin contact:	Wash immediately with plenty of soap and water.	
Eye contact:	Bathe the eye with running water for 15 minutes.	
Ingestion:	Wash out mouth with water.	
Inhalation:	Consult a doctor.	

5. Fire-Fighting Measures Extinguishing media: be used. Exposure hazards: Protection of fire-fighters:	Suitable extinguishing media for the surrounding fire should Use water-spray to cool containers. In combustion, emits toxic fumes. Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.
6. Accidental Release Measures Personal precautions: Environmental precautions: Clean-up procedures:	Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid. Do not allow contact with soil, surface or ground water. Absorb into dry earth or sand. Transfer to a closable, labeled salvage container for disposal by an appropriate method.
7. Handling and Storage Storage conditions:	Store in cool, well ventilated area. Keep container tightly closed.
8. Exposure Controls / Personal Protect Hazardous ingredients: Respiratory protection: Hand protection: Eye protection: Skin Protection:	ction ETHANOL TWA 1920 mg/m3 Respiratory protection not required Protective gloves Safety glasses. Ensure eye bath is at hand. Protective clothing
9. Physical and Chemical Properties Physical state: Color: Odor: Evaporation rate: Also soluble in:	Liquid Off-white Sweet-smelling Slow Ethanol
10. Stability and Reactivity Stability: Conditions to avoid: Materials to avoid: Haz. decomp. products:	Stable under normal conditions Heat Strong oxidizing agents. Strong acids In combustion, emits toxic fumes
• Routes of exposure: H	 Ethanol IVN RAT LD50 1440mg/kg ORL MUS LD50 3450 mg/kg ORL RAT LD50 7060mg/kg Sodium Fluoride ORL MUS LD50 57mg/kg ORL RAT LD50 52mg/kg SCU RAT LD50 175mg/kg Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

Mobility:	Readily absorbed into soil
Persistence & degradability:	Biodegradable
Bioaccumulative potential:	No bioaccumulation potential
Other adverse effects:	Negligible ecotoxicity

13. Disposal Considerations

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Transport Information:

US DOT	UN 1170, Ethanol, Hazard Class 3, Packing group III, Hazard Label 2-Flamable
TDG	UN 1170, Ethanol, Hazard Class 3, Packing group III, Hazard Label 2-Flamable
IMDG	UN 1170, Ethanol, Hazard Class 3, Packing group III, Hazard Label 2-Flamable
Marine Pollutant	No
IATA/ICAO	UN 1170, Ethanol, Hazard Class 3, Packing group III, Hazard Label 2-Flamable
Hazchem Code	2YE

15. Regulatory Information:

Risk phrases:

R11Highly Flammable

R32 Contact with acids liberates very toxic gas

R43 May cause sensitization by skin contact

R36/38: Irritating to eyes and skin

R36/37/38 Irritating to eyes, respiratory system and skin

Hazard Statements:

H319 Causes serious eye irritation

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H225 Highly Flammable liquid

H335 May cause respiratory irritation

Precautionary phrases:

P210 Keep away from heat, sparks, open flames, and hot surfaces. No smoking. P233 Keep container tightly closed

P264 Wash thoroughly after handling.

P261 Avoid breathing vapors

P272 Contaminated work clothing should not be allowed out of the workplace.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves, protective clothing, eye protections and face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical attention.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P332+P313 If skin irritation occurs: Get medical attention.

P362 Take off contaminated clothing and wash before reuse.

P303+ P361 +P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

P370+P378 In case of fire: Use Suitable extinguishing media for the surrounding fire should be used to extinguish P403 +P235 Store in a well ventilated place. Keep cool.

P501 Dispose of contents and container in accordance with local and national regulations

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. Other Information Premier's revision date: Revision number:	9-July-2021 9
Supplier's number:	031813

The information contained herein is based on our present knowledge. However, this information shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Premier Dental Products Company makes no warranties, express or implied with respect to, and assumes no responsibility or liability for, the accuracy or completeness of the information contained herein. Premier Dental Products Company urges persons receiving this information to make their own determination as to the information suitability for their particular application.

0721017 Rev9