

Traxodent ® Gel AlCl Safety Data Sheet

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Trade name : Traxodent® Gel AlCl

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Clear hemostatic gel
Restrictions on use : For professional use only

1.3. Supplier

Manufacturer:

Inter-Med, Inc. 2200 South Street Racine, WI 53404 T: +1-262-636-9755

1.4. Emergency telephone number

800-424-9300 (North America) / +1 (703) 527-3887 (International)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin corrosion/irritation Category 1 Causes severe skin burns and eye damage

Serious eye damage/eye irritation Category 1 Causes serious eye damage

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US) : Danger

Hazard statements (GHS US) : Causes severe skin burns and eye damage

Precautionary statements (GHS US) : Do not breathe mist, vapors.

Wash hands thoroughly after handling. Wear eye protection, protective gloves.

If swallowed: rinse mouth. Do NOT induce vomiting

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

If inhaled: Remove person to fresh air and keep comfortable for breathing

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing

Immediately call a doctor, a POISON CENTER Wash

contaminated clothing before reuse.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

Traxodent® Gel AlCl Safety Data Sheet

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Aluminum chloride, hexahydrate	(CAS-No.) 7784-13-6	26.6	Skin Corr. 1B, H314 Eye Dam. 1, H318

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give artificial respiration if necessary. If

you feel unwell, seek medical advice.

First-aid measures after skin contact : Wash off immediately and plentifully with water for at least 20 minutes. Take off immediately all

contaminated clothing and wash it before reuse. Get immediate medical advice/attention.

: In case of eye contact, immediately rinse with clean water for 20-30 minutes. Remove contact lenses, if First-aid measures after eye contact

present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Get medical advice/attention.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.

Symptoms/effects after skin contact : Causes severe burns. Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : None known.

5.2. Specific hazards arising from the chemical

Fire hazard : On combustion, forms: carbon oxides (CO and CO2).

: No direct explosion hazard. **Explosion** hazard

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire.

: Do not attempt to take-action without suitable protective equipment. Self-contained breathing Protection during firefighting

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Use personal protective equipment as required. For further information refer to section 8:

"Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

: Do not attempt to take-action without suitable protective equipment. In case of inadequate Protective equipment

ventilation wear respiratory protection.

6.2. **Environmental precautions**

Avoid release to the environment.

Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage.

Other information : Dispose of materials or solid residues at an authorized site.

Reference to other sections 6.4.

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations".

EN (English US) 2/7

Traxodent® Gel AlCl Safety Data Sheet

SECTION 7: Handling and storage

Precautions for safe handling 7.1.

Precautions for safe handling : Ensure good ventilation of the workstation. Wear personal protective equipment.

: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Hygiene measures Wash contaminated clothing before reuse. Handle in accordance with good industrial hygiene and safety

practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Incompatible materials : Strong acids, strong bases and strong oxidants.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Aluminum chloride, hexahydrate (7784-13-6)

Not applicable

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the workstation. Emergency eye wash fountains and safety showers should be

available in the immediate vicinity of any potential exposure.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Impermeable protective gloves

Eye protection:

Safety glasses with side shields

Skin and body protection:

Long sleeved protective clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gel : gel. Appearance Color : Clear Odor : Odorless

: No data available Odor threshold

рΗ

Melting point No data available : No data available Freezing point Boiling point : No data available Flash point : No data available Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. : No data available Vapor pressure Relative vapor density at 20 $^{\circ}\mathrm{C}$: No data available Relative density : No data available Solubility : No data available Log Pow : No data available : No data available Auto-ignition temperature : No data available Decomposition temperature Viscosity, kinematic : No data available

> EN (English US) 3/7

Traxodent® Gel AlCl Safety Data Sheet

Viscosity, dynamic : No data available
Explosion limits : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases and strong oxidants.

10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature. On combustion, forms: carbon oxides (CO and CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met) Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Skin corrosion/irritation : Causes severe skin burns and eye damage. pH: \approx

1

Serious eye damage/irritation : Causes serious eye damage. pH:

 \approx

Respiratory or skin sensitization : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) Specific

target organ toxicity – single exposure : Not classified (Based on available data, the classification criteria are not met)

Specific target organ toxicity – repeated : Not classified (Based on available data, the classification criteria are not met)

exposure

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Viscosity, kinematic : No data available

Likely routes of exposure : Inhalation. Ingestion. Skin and eye contact.

Symptoms/effects after inhalation : Inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.

Symptoms/effects after skin contact : Causes severe burns.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

EN (English US) 4/7

Traxodent® Gel AlCl Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: This material has not been tested for environmental effects.

12.2. Persistence and degradability

No additional information available

Bioaccumulative potential

No additional information available

Mobility in soil

No additional information available

Other adverse effects

No additional information available

SECTION 13: Disposal considerations

Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description

No.(DOT)

Proper Shipping Name (DOT)

Class (DOT)

Packing group (DOT)

Hazard labels (DOT)

: UN1760 Corrosive liquids, n.o.s. (Aluminum chloride, hexahydrate), 8, II UN-

: UN1760

: Corrosive liquids, n.o.s.

Aluminum chloride, hexahydrate

: 8 - Class 8 - Corrosive material 49 CFR 173.136

: II - Medium Danger

: 8 - Corrosive



DOT Packaging Non-Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Special Provisions (49 CFR 172.102)

: 202

: 242

: B2 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks are not authorized.

IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees Celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees Celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively. TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used provided the calculated test pressure is 4 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

EN (English US) 5/7

Traxodent® Gel AlCl Safety Data Sheet

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)

: 1 L

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)

: 30 L

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

> passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in

which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

Emergency Response Guide (ERG) Number : 154

Other information : No supplementary information available.

Transportation of Dangerous Goods

Transport document description : UN1760 CORROSIVE LIQUID, N.O.S. (Aluminum chloride, hexahydrate), 8, II UN-

No. (TDG) : UN1760

Proper Shipping Name (Transportation of

Dangerous Goods)

: CORROSIVE LIQUID, N.O.S.

TDG Primary Hazard Classes : 8 - Class 8 - Corrosives : II - Medium Danger Packing group

TDG Special Provisions : 16 - (1) The technical name of at least one of the most dangerous substances that

predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a)UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; (b)UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c)UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d)UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or (e)UN3249, MEDICINE,

SOLID, TOXIC, N.O.S. An

example in Canada is the "Food and Drugs Act". (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment: (a)UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b)UN2900, INFECTIOUS SUBSTANCE,

AFFECTING ANIMALS. SOR/2014-306

Explosive Limit and Limited Quantity Index Passenger Carrying Road Vehicle or Passenger

Carrying Railway Vehicle Index

: 1 L : 1 L

Transport by sea

Transport document description (IMDG) : UN 1760 CORROSIVE LIQUID, N.O.S. (Aluminum chloride, hexahydrate), 8, II UN-

No. (IMDG)

Proper Shipping Name (IMDG) : CORROSIVE LIQUID, N.O.S. Class (IMDG) : 8 - Corrosive substances

Packing group (IMDG) : II - substances presenting medium danger

> EN (English US) 6/7

Traxodent® Gel AlCl Safety Data Sheet

Air transport

Transport document description (IATA) : UN 1760 Corrosive liquid, n.o.s. (Aluminum chloride, hexahydrate), 8, II UN-

No. (IATA) : 1760

Proper Shipping Name (IATA) : Corrosive liquid, n.o.s.

Class (IATA) : 8 - Corrosives
Packing group (IATA) : II - Medium Danger

SECTION 15: Regulatory information

US Federal regulations

No additional information available

International regulations CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

Aluminum chloride, hexahydrate (7784-13-6)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on

NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the

TCSI (Taiwan Chemical Substance Inventory)

US State regulations

No additional information available

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 05 August 2025 Rev1

Full text of H-phrases:

H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

SDS US (GHS HazCom 2012)

The information contained herein is based on our present knowledge. However, this information shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Premier Dental Products Company makes no warranties, express or implied with respect to, and assumes no responsibility or liability for, the accuracy or completeness of the information contained herein. Premier Dental Products Company urges persons receiving this information to make their own determination as to the information suitability for their particular application.

0825014 Rev1

EN (English US) 7/7