

SAFETY DATA SHEET:

Premier® Universal Primer

1. Chemical Product and Company Identification

Premier® Dental Products Company
1710 Romano Drive Plymouth Meeting, PA 19462
Phone: 610-239-6000 Fax: 610-239-6171
Emergency Phone: 610-239-6000

Indications:

Premier Ceramic Primer is a prescription-only, one-step silane coupling agent intended for preparation of ceramic material such as porcelain, ceramic, hybrid ceramic or composite and zirconia restorations designed to improve adhesion to resin material prior to cementation or restoration. This primer does not require prior sandblasting or the use of an etchant.

Contraindications:

Do not use on patients with known sensitivity or allergy to methacrylate resins. Wash exposed area completely to remove material. If an allergic reaction is observed, consult a physician immediately and discontinue use with this patient.

2. Hazards Identification Corrosive; Xi Irritant; Flammable.

Acute Health Hazards: May cause eye, respiratory and skin irritation.

Chronic Health Hazards: Material is not known to cause significant health problems.

Signs and Symptoms of Exposure: High concentrations can cause eye and respiratory irritation. Prolonged skin exposure can cause dryness.

Primary Routes of Exposure: Inhalation, skin contact, eye contact.

Carcinogenicity: NTP – no, OSHA – no, IARC – no.

Hazard Symbols

Irritating to eyes and skin



Flammable



Corrosive



3. Composition / Information of Hazardous Ingredients

Hazardous Ingredients	CAS#	Hazard Identification & Risk Phrases
Ethyl alcohol	64-17-5	F, R11
3-trimethoxysilylpropyl methacrylate	2530-85-0	Xi, R36/37/38
10-Methacryloyloxydecyl dihydrogen phosphate	85590-00-7	Xi, R36/37/39
Acetic Acid	64-19-7	Xi, R35, R36/37/38

4. First Aid Measures in Cause of Inhalation

Inhalation: If irritation occurs, take victim to open air. Get medical attention.

In case of skin contact: wash with soap and water.

In case of eye contact: Flush with large quantities of water for 15 minutes. Consult a physician.

In case of ingestion: Drink two glasses of water or milk. Seek medical attention if a substantial amount has been ingested. Do not induce vomiting.

5. Fire-Fighting Measures

Flash Point: 18°C / 64°F (Ethanol)

Extinguishing Media: Carbon dioxide, foam or dry chemical.

Unusual Fire and Explosion Hazards: Upon combustion, irritating gases may form..

6. Accidental Release Measures

Personal Precautions: Prevent skin/ eye contact

Environmental Precautions: Avoid ground water contamination..

Clean-Up Procedure: Wipe with damp paper towel. Discard properly.

7. Handling and Storage

Handling: No special measures necessary if handled according to instructions.

Storage: Keep container tightly closed when not in use. Keep about 10°C.

Keep material in original packaging. Avoid extreme heat and light.

8. Exposure Controls/ Personal Protection

Exposure Controls: Use only in well ventilated areas.

Eye Protection: Use protective eyewear.

Hand and Skin Protection: Avoid unnecessary skin contact. Wear latex gloves when handling.

Hygiene Measures: Remove spilled material from skin and clothing. Do not eat or drink when handling this material.

9. Physical and Chemical Properties

Appearance: Colorless liquid

Odor: Odorless.

Boling Point/ Range: N/E

Evaporation Bate (water = 1): N/A

Vapor Density (Air = 1): N/A

Solubility in Water: Miscible

Solubility in organic solvents: Soluble in alcohols, ketones, etc.

Acidity: pH=4-5

10. Stability and Reactivity

Stability: This material is stable.

Hazardous Reactions: None if handled according to directions

Conditions to Avoid: Heat.

Incompatibility: Strong caustics, metals, sulfides and sulfites..

11. Toxicological Information

Acute oral toxicity: LD50 (rat) > 5000 mg/kg

Irritation to Eyes: Irritates the eyes.

Irritation of Skin: May irritate the skin.

Allergic Effects: May cause allergic reaction on contact with skin.

Other: If swallowed, may cause sore throat and burns of the mouth and throat.

Prolonged exposure may cause burns to the respiratory tract, contact with soft tissues may cause burns.

12. Ecological Information

There is no specific information on the product. Use according to good working practices, avoiding release of the product into environment.

13. Disposal Considerations

May be disposed of in landfill or incinerator In accordance with local, state and federal regulations.

14. Transport Information

14.1 Transport at land	ADR	3	RID	3
	UN Number	1170	Kemler Number	
	Packaging group	III		
	Proper shipping name	Ethanol Solution		
14.2 Transport by sea	ADNR	3	IMDG	3
	UN Number	1170		
	Packaging group	III	MFAG	
	Proper shipping name	Ethanol Solution		
	EMS	F-E, S-D		
14.3 Air transport	ICAO/IATA-DGR			
	UN Number	1170		
	Proper shipping name	Ethanol Solution		
	Subsidiary risks			
	Labels	Ethanol Solution		
	Packaging group	III		

U.S. DOT Shipping Name: Ethanol Solution

U.S. DOT Hazard Class: 3


Number: UN1170

U.S. Dot Packing Group: III

Other: Class 3 Flammable Liquids.

15. Regulatory Information

This product requires classification according to the criteria of EC.
The product is a medical device according to the EC-directive 93/42.

15.1 UN Number	1170
15.2 National regulations	
15.3 EU Number	
15.4 Hazard symbols	 Xi F C
15.5 Hazard designation	Xi: Irritant, F: Flammable, Contains Ethyl Alcoholol, C: Corrosive liquid, acidic, organic
15.6 Risk phrases	R: 11, 36, 37, 38, 39 11: Highly flammable 35: Causes severe burns 36: Irritating to eyes 37/38 Irritating to respiratory system and skin 39: Danger of very serious irreversible effects
15.7 Safety phrases	S: 2, 7, 9, 16, 22, 23, 26, 28, 24/25, 37/39, 43 2 Keep out of the reach of children. 7 Keep container tightly closed. 9 Keep container in a well-ventilated place. 16 Keep away from sources of ignition - No smoking. 22 Harmful if swallowed. 23 Do not breathe vapors. 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advise. 28 After contact with skin, wash immediately with plenty of water and soap. 24/25 Avoid contact with skin and eyes. 37/39 Wear suitable gloves and eye/face protection. 43 May cause sensitization by skin contact.

U.S. – O.S.H.A. Status: This material is Xi: Irritant. F: Flammable. C: Corrosive under the criteria of the U.S. Federal Hazard Communication Standard.

16. Other Information

Premier's revision date :04JUNE2019

Revision number: 0

Relevant R-phrases

11 Highly flammable

34 Causes burns

Xi Irritant

Material should be maintained in original containers. Empty containers should not be re-used.

AN SI / NFPA 704 DATA

Health: 2

Flammability: 2

Reactivity: 0

Special hazards: None

Supplier's number: 05302019

The information contained herein is based on our present knowledge. However, this information shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Premier Dental Products Company makes no warranties, express or implied with respect to, and assumes no responsibility or liability for, the accuracy or completeness of the information contained herein. Premier Dental Products Company urges persons receiving this information to make their own determination as to the information suitability for their particular application.

0719087 Rev0